

FIG. 3

```

<?xml version="1.0" encoding="Shift_JIS" ?>
<!DOCTYPE bml PUBLIC "-//ARIB STD-B24:1999//DTD BML Document//JA"
"bml_1_0. dtd">
<?bml bml-version="1.0" ?>

<bml>
<head>
<title>
item01
</title>
  <content_point>
    2
    <point_rate>
      <size_rate>
        B3=3.0
        B4=1.5
        B5=0.7
        A3=2.0
        A4=1.0
        A5=0.5
      </size_rate>
      <color_rate>
        color=3.0
        mono=1.0
      </color_rate>
    </point_rate>
  </content_point>


</head>
<body id="scene0" style="display-aspect-ratio:16v9;
resolution:960x540; background-image:url(cont01.jpg);
clut:url(bml01.clt); used-key-list:basic data-button;"
onload="load();"onunload="unload();">

<div style="width:960px; visibility:visible; height:540px:">
<!-- JPEG --->
<object type="image/jpeg" id="car" data="car. jpg"
style="visibility:visible; left:60px; top:140px; width:340px;
height:240px;" />
<object type="image/jpeg" id="cup" data="cup. jpg"
style="visibility:visible; left:500px; top:210px; width:340px;
height:230px:" />

<!-- video/audio --->

</div>
</body>
</bml>

```






FIG. 6 Content distributing apparatus 21




FIG. 7

Point table

109a

Content provider	Accumulated points
⋮	⋮
Provider A	620
Provider B	35
⋮	⋮

FIG. 8




FIG. 9

Device information

230

[Specific information]

Maker	◇◇◇ company
Type	○●×-123
Model number	■-PR678
Serial number	No. 12345678

231

[Consumable information]

Model number	Remaining amount (%)	Run out of consumables
IK-BK2	8	Yes
IK-MA2	80	No
IK-YL2	75	No

232

[Maintenance information]

233a

233b

233

Error information			Execution history information	
Type of errors	Frequency	Error log	Power distribution	345h
0	0	⋮	Moving distance of printer head	56m
1	2	2002/03/15 18:00 Error 2	Number of printed pages	123
2	1	2002/04/01 16:10 Error 1		
3	0	⋮		

FIG. 10




FIG. 11

65

◁This week's recommended CDs (singles)▷




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18

70

Ordering menu

Customer information 71

Name	Taro Nippon
Membership number	ABC-123456
Address	Moriguchi-shi, Osaka
Address of delivery	Moriguchi-shi, Osaka

Device specific information 72

Maker	◇◇◇ company
Type	○● x-123
Model number	■-PR678
Serial number	No. 12345678


Details on ordered item 73

Article	Model number	Quantity	Price
Black ink	IK-BL2	2	1,000
Yellow ink	IK-YL	1	700
:	:	:	:
Total		3	¥1,700

Point information and others 74

Present accumulated points	655
Use of points	<input checked="" type="radio"/> Yes <input type="radio"/> No
Method of payment	<input checked="" type="radio"/> Card <input type="radio"/> Debit
Desired date of delivery	<input checked="" type="radio"/> (day) <input type="radio"/> (month)

75



10/508789

FIG. 19

◇ Maintenance information ◇

Maker	◇◇◇ company
Type	○ ● x-123
Model number	■ ■ -PR678
Serial number	No. 12345678

82 Statistics of errors

Type of errors	Frequency
0	0
1	2
2	1
3	0

83 Error log

:

2002/03/15 18:00
Error2

2002/04/01 16:00
Error1

:

84 Execution history

Power distribution	345h
Moving distance of printer head	56m
Number of printed pages	123

85 Send mode: ● Manual ○ Automatic

Send


86

Return

19/21

10/508789

FIG.20A



[Example]
 128(Ink runs out)

FIG.20B




FIG. 21

